



Haeger® By
PEM®

Automatic Tooling Catalog

June 2025

For your convenience, this Automatic Tooling Catalog contains clickable hyperlinks to help you navigate to the correct tooling set for your machine model. For more information, or to place an order, go to www.haeger.com

Table of Contents

HP6, 618, 824 & 824PLUS	<u>3</u>
Shuttle Nut Tooling	<u>3</u>
Shuttle Nut Tooling (Shank Code 3)	<u>4</u>
Bottom Feed Nut Tooling	<u>5</u>
Shuttle Stud Tooling	<u>7</u>
Shuttle Standoff Tooling	<u>8</u>
Shuttle Blind Standoff Tooling	<u>9</u>
824™ WindowTouch® -3	<u>10</u>
618™/824™ MSPe with MAS-9	<u>10</u>
Shuttle Nut Tooling	<u>10</u>
Shuttle Nut Tooling (Shank Code 3)	<u>11</u>
Shuttle Stud Tooling	<u>12</u>
Shuttle Standoff Tooling	<u>13</u>
Shuttle Blind Standoff Tooling	<u>14</u>
Identifying 824OT-3 Tip Holder/Punch & Tip Pocket size	<u>15</u>
824™ OneTouch™ -3 with Medium Tip Pocket 15-02237	<u>16</u>
Shuttle Nut Tooling	<u>16</u>
Shuttle Nut Tooling (Shank Code 3)	<u>17</u>
Shuttle Stud Tooling	<u>18</u>
Shuttle Standoff Tooling	<u>19</u>
Shuttle Blind Standoff Tooling	<u>20</u>
824™ OneTouch™ -3 with Large Tip Pocket 15-02949	
Shuttle Nut Tooling	<u>21</u>
Shuttle Nut Tooling (Shank Code 3)	<u>22</u>
Shuttle Stud Tooling	<u>23</u>
Shuttle Standoff Tooling	<u>24</u>
Shuttle Blind Standoff Tooling	<u>25</u>

824™ WindowTouch® -4e, -5e

618™ MSPe & 824™ MSPe

Shuttle Nut Tooling	<u>26</u>
Shuttle Nut Tooling (Shank Code 3)	<u>27</u>
Shuttle SP Nut Tooling	<u>28</u>
Bottom Feed Nut Tooling	<u>29</u>
Shuttle Stud Tooling	<u>31</u>
Shuttle HFH Studs Tooling	<u>32</u>
Shuttle Standoff Tooling	<u>33</u>
Shuttle Short Standoff Tooling	<u>34</u>
Shuttle Blind Standoff Tooling	<u>35</u>
Shuttle Flush Nut Tooling	<u>36</u>

824™ OneTouch™ -4e, -5e


Shuttle Nut Tooling	<u>37</u>
Shuttle Nut Tooling (Shank Code 3)	<u>38</u>
Shuttle SP Nut Tooling	<u>39</u>
Shuttle Stud Tooling	<u>40</u>
Shuttle HFH Stud Tooling	<u>41</u>
Shuttle Standoff Tooling	<u>42</u>
Shuttle Short Standoff Tooling	<u>43</u>
Shuttle Blind Standoff Tooling	<u>44</u>
Shuttle Flush Nut Tooling	<u>45</u>

824™ OneTouch™ LITE -4e, -5e

Shuttle Nut Tooling	<u>46</u>
Shuttle Nut Tooling (Shank Code 3)	<u>47</u>
Shuttle SP Nut Tooling	<u>48</u>
Shuttle Stud Tooling	<u>49</u>
Shuttle HFH Stud Tooling	<u>50</u>
Shuttle Standoff Tooling	<u>51</u>
Shuttle Short Standoff Tooling	<u>52</u>
Shuttle Blind Standoff Tooling	<u>53</u>
Shuttle Flush Tooling	<u>54</u>

PEM[®]: S[™], SS[™], CLS[™], CLSS[™]

HP6, 618[™], 824[™] & 824[™] PLUS Shuttle Nut Tooling



Notes:

1. A one time purchase of a Shuttle Nut Controller, T-Bracket, and Vacuum Generator is required for Shuttle Nut Tooling. (See page 3 for part #'s)
2. Haeger recommends purchasing a T-Bracket for each Shuttle Nut Mechanism for faster changeover and setup times.
3. Please specify machine model and serial number when ordering a vacuum generator as a retrofit item. (see page 3)
4. PEM[®] CLA[™] Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	SHUTTLE NUT MECHANISM	VACUUM PUNCH	AUTO ANVIL
NUTS			Included with set					
4-40-0,-1,-2	H-588-250	CLEAR	H-407-250-72	H-512-250	H-915-250	H-581-250	H-398-084	H-442-166S
6-32-0,-1,-2	H-588-280	RED	H-407-280-72	H-512-280	H-915-280	H-581-280	H-398-105	H-442-187S
8-32-0,-1,-2	H-588-310	BLUE	H-407-310-72	H-512-310	H-915-310	H-581-310	H-398-129	H-442-213S
10-32-0,-1,-2	H-588-340	GREEN	H-407-340-72	H-512-340	H-915-340	H-581-340	H-398-155	H-442-250S
1/4-20-0,-1,-2	H-588-440	YELLOW	H-407-440-72	H-512-440	H-915-440	H-581-440	H-398-195	H-442-344S


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	SHUTTLE NUT MECHANISM	VACUUM PUNCH	AUTO ANVIL
NUTS			Included with set					
M3-0,-1,-2	H-588-250M	CLEAR	H-407-250-72	H-512-250M	H-915-250	H-581-250	H-398-093	H-442-166S
M3.5-0,-1,-2	H-588-280M	RED	H-407-280-72	H-512-280M	H-915-280	H-581-280	H-398-114	H-442-187S
M4-0,-1,-2	H-588-310M	BLUE	H-407-310-72	H-512-310M	H-915-310	H-581-310	H-398-122	H-442-213S
M5-0,-1,-2	H-588-340M	GREEN	H-407-340-72	H-512-340M	H-915-340	H-581-340	H-398-161	H-442-250S
M6-0,-1,-2	H-588-440M	YELLOW	H-407-440-72	H-512-440M	H-915-440	H-581-440	H-398-186	H-442-344S

PEM®: S™, SS™, CLS™, CLSS™

HP6, 618™, 824™ & 824™ PLUS

Shuttle Nut Tooling (Shank Code 3)



Notes:

1. A one time purchase of a Shuttle Nut Controller, T-Bracket, and Vacuum Generator is required for Shuttle Nut Tooling. (See below for part #'s)
2. Haeger recommends purchasing a T-Bracket for each Shuttle Nut Mechanism for faster changeover and setup times.
3. Please specify machine model and serial number when ordering a vacuum generator as a retrofit item. (see below)
4. The below tooling are available as MADE TO ORDER
5. PEM® CLA™ Aluminum nuts require custom tooling.

Inch Sizes Only

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	SHUTTLE NUT MECHANISM	VACUUM PUNCH	AUTO ANVIL
NUTS			Included with set					
4-40-3	H-588-250-3	CLEAR	H-407-250-72	H-512-250-3	H-915-250-3	H-581-250-3	H-398-084	H-442-166S
6-32-3	H-588-280-3	RED	H-407-280-72	H-512-280-3	H-915-280-3	H-581-280-3	H-398-105	H-442-187S
8-32-3	H-588-310-3	BLUE	H-407-310-72	H-512-310-3	H-915-310-3	H-581-310-3	H-398-129	H-442-213S
10-32-3	H-588-340-3	GREEN	H-407-340-72	H-512-340-3	H-915-340-3	H-581-340-3	H-398-155	H-442-250S
1/4-20-3	H-588-440-3	YELLOW	H-407-440-72	H-512-440-3	H-915-440	H-581-440-3	H-398-195	H-442-344S

Shuttle Nut Tooling Components


15-01179	Composite T-Bracket
15-01245	Shuttle Nut Controller

Vacuum Generators

10-00895	Vacuum Generator for HP6-B
10-00212	Vacuum Generator for HP6-C, HP2.5, Non-Universal 824
10-00142	Vacuum Generator for Non-Universal 618
10-00789	Vacuum Generator for 618-1, 824-1 & 618PLUS
15-00913	Vacuum Generator for 824PLUS & 824 Window Touch

PEM®: S™, SS™, CLS™, CLSS™

HP6, 618™, 824™, 824™ PLUS & WT-3 Bottom Feed Nut Tooling



Notes:

PEM® CLA™ Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	ABFT SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	ABFT ASSEMBLY
NUTS		Included with set				
2-56 & 4-40 0,-1,-2 2-56 & 4-40 (-3)	H-410-250 H-410-250-3	CLEAR	H-407-250-72	H-512-250 H-512-250-3	H-915-250 H-915-250-3	H-908-250 H-908-250-3
6-32-0,-1,-2 6-32-3	H-410-280 H-410-280-3	RED	H-407-280-72	H-512-280 H-512-280-3	H-915-280 H-915-280-3	H-908-280 H-908-280-3
8-32-0,-1,-2 8-32-3	H-410-310 H-410-310-3	BLUE	H-407-310-72	H-512-310 H-512-310-3	H-915-310 H-915-310-3	H-908-310 H-908-310-3
10-32-0,-1,-2 10-32-3	H-410-340 H-410-340-3	GREEN	H-407-340-72	H-512-340 H-512-340-3	H-915-340 H-915-340-3	H-908-340 H-908-340-3
1/4-20-0,-1,-2 1/4-20-3	H-410-440 H-410-440-3	YELLOW	H-407-440-72	H-512-440 H-512-440-3	H-915-440 H-915-440	H-700-440 H-700-440-3

Metric Sizes


FASTENER SIZE	ABFT SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	ABFT ASSEMBLY
NUTS		Included with set				
M2, M2.5, & M3 -0, -1, -2	H-410-250M	CLEAR	H-407-250-72	H-512-250M	H-915-250	H-908-250
M3.5-0,-1,-2	H-410-280M	RED	H-407-280-72	H-512-280M	H-915-280	H-908-280
M4-0,-1,-2	H-410-310M	BLUE	H-407-310-72	H-512-310M	H-915-310	H-908-310
M5-0,-1,-2	H-410-340M	GREEN	H-407-340-72	H-512-340M	H-915-340	H-908-340
M6-0,-1,-2	H-410-440M	YELLOW	H-407-440-72	H-512-440M	H-915-440	H-700-440

Additional ABFT accessories available (see next page)

PEM®: S™, SST™, CLS™, CLSS™


HP6, 618™, 824™, 824™ PLUS & WT-3

Bottom Feed Nut Tooling



ABFT J-frame:

H-172-1 ABFT J-frame, fits up to O32/M5 nut size



PEM®: FH™, FHS™, FHA™

HP6, 618™, 824™ & 824™ PLUS Shuttle Stud Tooling



Notes:

1. A one time purchase of a T-Bracket, Dual Guided Shuttle, and Vacuum Generator is required for shuttle style stud Tooling. (see page 7 for part #'s)
 2. Please specify machine model and serial number when ordering a vacuum generator as a retrofit item. (see page 7)
- * HP6 & PLUS machine 1/2" diameter anvils can install up to lengths -16 (inch) or -25 (metric) only

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	VACUUM PUNCH	PIVOT ARMS & ADAPTER	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS		Included with set						
4-40 -5 to -16	10-00600	H-309-218-72	H-524-218	H-525-218	H-388-067	10-00534	H-344-113	H-346-113
6-32 -5 to -20	10-00601	H-309-234-72	H-524-234	H-525-234	H-388-067	10-00535	H-344-139	H-346-139
8-32 -6 to -20	10-00602	H-309-250-72	H-524-250	H-525-250	H-388-093	10-00536	H-344-166	H-346-166
10-32 -6 to -20 10-24 -6 to -20	10-00603	H-309-281-72	H-524-281	H-525-281	H-388-093	10-00538	H-344-191	H-346-191
1/4-20 -8 to -20	10-00604	H-309-375-72	H-524-344	H-525-344	H-388-093	10-00540	H-344-250	N/A

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	VACUUM PUNCH	PIVOT ARMS & ADAPTER	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS		Included with set						
M3 -6 to -25	10-00606	H-309-218-72	H-524-218	H-525-218	H-388-067	10-00534	H-344-121	H-346-121
M3.5 -6 to -30	10-00601	H-309-234-72	H-524-234	H-525-234	H-388-067	10-00535	H-344-139	H-346-139
M4 -10 to -30	10-00608	H-309-250-72	H-524-250	H-525-250	H-388-093	10-00536	H-344-160	H-346-160
M5 -10 to -30	10-00609	H-309-281-72	H-524-281	H-525-281	H-388-093	10-00538	H-344-199	H-346-199
M6 -12 to -30	10-00610	H-309-375-72	H-524-344	H-525-344	H-388-093	10-00540	H-344-236	N/A

Auto Anvils For FH4™ Studs

H-345-113	MTO, ASSY, LOWER TOOL, FH4-#4
H-345-139	MTO, ASSY, LOWER TOOL, FH4-#6
H-345-166	MTO, ASSY, LOWER TOOL, FH4-#8
H-345-191	MTO, ASSY, LOWER TOOL, FH4-#10
H-345-121	MTO, ASSY, LOWER TOOL, FH4-M3
H-345-160	MTO, ASSY, LOWER TOOL, FH4-M4
H-345-199	MTO, ASSY, LOWER TOOL, FH4-M5

PEM[®]: SO[™], SOA[™], SOS[™]

HP6, 618[™], 824[™] & 824[™] PLUS

Shuttle Standoff Tooling



Notes:

1. A one time purchase of a T-Bracket, Dual Guided Shuttle, and Vacuum Generator is required for shuttle style stud Tooling. (see below for part #'s)
 2. Please specify machine model and serial number when ordering a vacuum generator as a retrofit item. (see below)
- * HP6 & PLUS machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	VACUUM PUNCH	PIVOT ARMS & ADAPTER	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STANDOFFS		Included with set						
4-40 -8 to -24	10-00582	H-309-250-72	H-524-265	H-525-265	H-398-084	10-00537	H-344-169	H-346-169
64-40 -10 to -34	10-00583	H-309-296-72	H-524-296	H-525-296	H-398-084	10-00539	H-344-216	H-346-216
6-32 -10 to -34	10-00584	H-309-296-72	H-524-296	H-525-296	H-398-105	10-00539	H-344-216	H-346-216
86-32- 12 to -34	10-00585	H-309-410-72	H-524-375	H-525-375	H-398-105	10-00541	H-344-284	H-346-284
8-32 -12 to -34	10-00586	H-309-410-72	H-524-375	H-525-375	H-398-129	10-00541	H-344-284	H-346-284
10-32 -12 to -34	10-00587	H-309-410-72	H-524-375	H-525-375	H-398-155	10-00541	H-344-284	H-346-284

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	VACUUM PUNCH	PIVOT ARMS & ADAPTER	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STANDOFFS		Included with set						
M3 -6 to -25	10-00591	H-309-250-72	H-524-265	H-525-265	H-398-093	10-00537	H-344-169	H-346-169
3.5M3 -8 to -25	10-00592	H-309-296-72	H-524-296	H-525-296	H-398-093	10-00539	H-344-216	H-346-216
M4 -8 to -25	10-00593	H-309-410-72	H-524-375	H-525-375	H-398-122	10-00541	H-344-284	H-346-284
M5 -8 to -25	10-00594	H-309-410-72	H-524-375	H-525-375	H-398-161	10-00541	H-344-284	H-346-284

Shuttle Stud & Standoff Tooling Components:

15-01179	Composite T-Bracket
15-01173	Dual Guided Shuttle


Vacuum Generators:

10-00895	Vacuum Generator for HP6-B
10-00212	Vacuum Generator for HP6-C, HP2.5, Non-Universal 824
10-00142	Vacuum Generator for Non-Universal 618
10-00789	Vacuum Generator for 618-1, 824-1 & 618PLUS
15-00913	Vacuum Generator for 824PLUS & 824 Window Touch

PEM®: BSO™, BSOA™, BSOS™

HP6, 618™, 824™ & 824™ PLUS

Shuttle Blind Standoff Tooling



Notes:

1. A one time purchase of a T-Bracket, Dual Guided Shuttle, and Vacuum Generator is required for shuttle style stud Tooling. (see page 7 for part #'s)
 2. Please specify machine model and serial number when ordering a vacuum generator as a retrofit item. (see page 7)
- * HP6 & PLUS machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	VACUUM PUNCH	PIVOT ARMS & ADAPTER	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
BLIND STANDOFFS		Included with set						
4-40 -8 to -34	10-00588	H-309-250-72	H-524-265	H-525-265	H-388-067	10-00537	H-344-169	H-346-169
64-40 -10 to -34 6-32 -10 to -34	10-00589	H-309-296-72	H-524-296	H-525-296	H-388-067	10-00539	H-344-216	H-346-216
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	10-00590	H-309-410-72	H-524-375	H-525-375	H-388-093	10-00541	H-344-284	H-346-284


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	VACUUM PUNCH	PIVOT ARMS & ADAPTER	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
BLIND STANDOFFS		Included with set						
M3 -6 to -25	10-00595	H-309-250-72	H-524-265	H-525-265	H-388-067	10-00537	H-344-169	H-346-169
3.5M3 -8 to -25	10-00596	H-309-296-72	H-524-296	H-525-296	H-388-067	10-00539	H-344-216	H-346-216
M4 -8 to -25 M5 -8 to -25	10-00590	H-309-410-72	H-524-375	H-525-375	H-388-093	10-00541	H-344-284	H-346-284

PEM[®]: S[™], SS[™], CLS[™], CLSS[™]

824[™] WindowTouch[®] -3
618[™]/824[™] MSPe with MAS-9

Shuttle Nut Tooling



Notes:

1. PEM[®] CLA[™] Aluminum nuts require custom tooling.
2. For Bottom Feed tooling see page 5

Inch Sizes


FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set						
4-40-0,-1,-2	370-250	CLEAR	H-407-250-72	H-512-250	H-915-250	15-01844	H-598-112	H-442-166S
6-32-0,-1,-2	370-280	RED	H-407-280-72	H-512-280	H-915-280	15-01845	H-598-136	H-442-187S
8-32-0,-1,-2	370-310	BLUE	H-407-310-72	H-512-310	H-915-310	15-01846	H-598-164	H-442-213S
10-32-0,-1,-2	370-340	GREEN	H-407-340-72	H-512-340	H-915-340	15-01847	H-598-190	H-442-250S
1/4-20-0,-1,-2	370-440	YELLOW	H-407-440-72	H-512-440	H-915-440	15-01848	H-598-191	H-442-344S

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set						
M3-0,-1,-2	371-250	CLEAR	H-407-250-72	H-512-250M	H-915-250	15-01844	H-598-118	H-442-166S
M3.5-0,-1,-2	371-280	RED	H-407-280-72	H-512-280M	H-915-280	15-01845	H-598-138	H-442-187S
M4-0,-1,-2	371-310	BLUE	H-407-310-72	H-512-310M	H-915-310	15-01846	H-598-160	H-442-213S
M5-0,-1,-2	371-340	GREEN	H-407-340-72	H-512-340M	H-915-340	15-01847	H-598-197	H-442-250S
M6-0,-1,-2	371-440	YELLOW	H-407-440-72	H-512-440M	H-915-440	15-01848	H-598-236	H-442-344S

PEM[®]: S[™], SS[™], CLS[™], CLSS[™]

824[™] WindowTouch[®] -3
618[™]/824[™] MSPe with MAS-9
Shuttle Nut Tooling
(Shank Code 3)



Notes:

1. The below tooling are available as MADE TO ORDER
2. PEM[®] CLA[™] Aluminum nuts require custom tooling.
3. For Bottom Feed tooling see page 5

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set						
4-40-3	373-250	CLEAR	H-407-250-72	H-512-250-3	H-915-250-3	15-01862	H-598-112	H-442-166S
6-32-3	373-280	RED	H-407-280-72	H-512-280-3	H-915-280-3	15-01863	H-598-136	H-442-187S
8-32-3	373-310	BLUE	H-407-310-72	H-512-310-3	H-915-310-3	15-01864	H-598-164	H-442-213S
10-32-3	373-340	GREEN	H-407-340-72	H-512-340-3	H-915-340-3	15-01865	H-598-190	H-442-250S
1/4-20-3	373-440	YELLOW	H-407-440-72	H-512-440-3	H-915-440	15-01866	H-598-250	H-442-344S

Optional Vacuum Punch Caps

A convenient way to convert nut vacuum punches into a manual flat punch. Usable only on 824 WindowTouch -3, -4e, -5e, 618 MSPe, and 824 MSPe machines.

VACUUM PUNCH NUT SIZES	VACUUM PUNCH CAP
#4 & M3 thru #8 & M4	15-03834
#10 & M5 thru O420 & M6	15-03235

PEM[®]: FH[™], FHS[™], FHA[™]

824[™] WindowTouch[™] -3
618[™]/824[™] MSPe with MAS-9

Shuttle Stud Tooling



Notes:

* WindowTouch & MSPe machine 1/2" diameter anvils can install up to lengths -16 (inch) or -25 (metric) only

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS		Included with set						
4-40 -5 to -16	380-218	H-309-218-72	H-524-218	H-525-218	15-01854	H-388-067	H-344-113	H-346-113
6-32 -5 to -20	380-234	H-309-234-72	H-524-234	H-525-234	15-01855	H-388-067	H-344-139	H-346-139
8-32 -6 to -20	380-250	H-309-250-72	H-524-250	H-525-250	15-01856	H-388-093	H-344-166	H-346-166
10-32 -6 to -20 10-24 -6 to -20	380-281	H-309-281-72	H-524-281	H-525-281	15-01857	H-388-093	H-344-191	H-346-191
1/4-20 -8 to -20	380-344	H-309-375-72	H-524-344	H-525-344	15-01858	H-388-093	H-344-250	H-346-250

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS		Included with set						
M3 -6 to -25	381-218	H-309-218-72	H-524-218	H-525-218	15-01854	H-388-067	H-344-121	H-346-121
M3.5 -6 to -30	380-234	H-309-234-72	H-524-234	H-525-234	15-01855	H-388-067	H-344-139	H-346-139
M4 -10 to -30	381-250	H-309-250-72	H-524-250	H-525-250	15-01856	H-388-093	H-344-160	H-346-160
M5 -10 to -30	381-281	H-309-281-72	H-524-281	H-525-281	15-01857	H-388-093	H-344-199	H-346-199
M6 -12 to -30	381-344	H-309-375-72	H-524-344	H-525-344	15-01858	H-388-093	H-344-236	H-346-236


Auto Anvils For FH4[™] Studs

H-345-113	MTO, ASSY, LOWER TOOL, FH4-#4
H-345-139	MTO, ASSY, LOWER TOOL, FH4-#6
H-345-166	MTO, ASSY, LOWER TOOL, FH4-#8
H-345-191	MTO, ASSY, LOWER TOOL, FH4-#10
H-345-121	MTO, ASSY, LOWER TOOL, FH4-M3
H-345-160	MTO, ASSY, LOWER TOOL, FH4-M4
H-345-199	MTO, ASSY, LOWER TOOL, FH4-M5

PEM®: SO™, SOA™, SOS™

824™ WindowTouch® -3
618™/824™ MSPe with MAS-9

Shuttle Standoff Tooling



Notes:

* WindowTouch & MSPe machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STANDOFFS		Included with set						
4-40 -8 to -24	390-265	H-309-250-72	H-524-265	H-525-265	15-01859	H-398-084	H-344-169	H-346-169
64-40 -10 to -34	391-296	H-309-296-72	H-524-296	H-525-296	15-01860	H-398-084	H-344-216	H-346-216
6-32 -10 to -34	390-296	H-309-296-72	H-524-296	H-525-296	15-01860	H-398-105	H-344-216	H-346-216
86-32- 12 to -34	391-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-398-105	H-344-284	H-346-284
8-32 -12 to -34	392-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-398-129	H-344-284	H-346-284
10-32 -12 to -34	390-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-398-155	H-344-284	H-346-284


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STANDOFFS		Included with set						
M3 -6 to -25	393-265	H-309-250-72	H-524-265	H-525-265	15-01859	H-398-093	H-344-169	H-346-169
3.5M3 -8 to -25	393-296	H-309-296-72	H-524-296	H-525-296	15-01860	H-398-093	H-344-216	H-346-216
M4 -8 to -25	393-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-398-122	H-344-284	H-346-284
M5 -8 to -25	394-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-398-161	H-344-284	H-346-284

PEM®: BSO™, BSOA™, BSOS™

824™ WindowTouch® -3
618™/824™ MSPe with MAS-9

Shuttle Blind Standoff Tooling



Notes:

* WindowTouch & MSPe machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
BLIND STANDOFFS	Included with set							
4-40 -8 to -34	395-265	H-309-250-72	H-524-265	H-525-265	15-01859	H-388-067	H-344-169	H-346-169
64-40 -10 to -34 6-32 -10 to -34	395-296	H-309-296-72	H-524-296	H-525-296	15-01860	H-388-067	H-344-216	H-346-216
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	395-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-388-093	H-344-284	H-346-284


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
BLIND STANDOFFS	Included with set							
M3 -6 to -30	395-265	H-309-250-72	H-524-265	H-525-265	15-01859	H-388-067	H-344-169	H-346-169
3.5M3 -8 to -30	395-296	H-309-296-72	H-524-296	H-525-296	15-01860	H-388-067	H-344-216	H-346-216
M4 -8 to -30 M5 -8 to -30	395-375	H-309-410-72	H-524-375	H-525-375	15-01861	H-388-093	H-344-284	H-346-284


Identifying 824™ OneTouch™ -3 Tip Holder/Punch & Tip Pocket size

824OT-3 machines may use one of 2 current generations of Tip Holder/Punch and Tip Pockets. Measure and identify the correct size before selecting tools.

Second Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips




.52 Dia Vacuum Tip Holder Part# 15-03042




2nd Gen. Tip Pocket Part# 15-02237

Third Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.59 Dia Vacuum Tip Holder Part# 15-03047




3rd Gen. Tip Pocket Part# 15-02949

PEM®: S™, SS™, CLS™, CLSS™

**824™ OneTouch™ -3 with
Medium Tip Pocket 15-02237**

Shuttle Nut Tooling



Notes:

PEM® CLA™ Aluminum nuts require custom tooling.


Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS		Included with set						
4-40-0,-1,-2	350-250	H-407-250-72	H-512-250	H-915-250	15-02346	15-02225	15-00650	15-02370
6-32-0,-1,-2	350-280	H-407-280-72	H-512-280	H-915-280	15-02347	15-02226	15-00651	15-02371
8-32-0,-1,-2	350-310	H-407-310-72	H-512-310	H-915-310	15-02348	15-02227	15-00652	15-02372
10-32-0,-1,-2	350-340	H-407-340-72	H-512-340	H-915-340	15-02349	15-02228	15-00653	15-02373
1/4-20-0,-1,-2	350-440	H-407-440-72	H-512-440	H-915-440	15-02350	15-02229	15-00654	N/A


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS		Included with set						
M3-0,-1,-2	351-250M	H-407-250-72	H-512-250M	H-915-250	15-02346	15-02225	15-00650	15-02370
M3.5-0,-1,-2	351-280M	H-407-280-72	H-512-280M	H-915-280	15-02347	15-02226	15-00651	15-02371
M4-0,-1,-2	351-310M	H-407-310-72	H-512-310M	H-915-310	15-02348	15-02227	15-00652	15-02372
M5-0,-1,-2	351-340M	H-407-340-72	H-512-340M	H-915-340	15-02349	15-02228	15-00653	15-02373
M6-0,-1,-2	351-440M	H-407-440-72	H-512-440M	H-915-440	15-02350	15-02229	15-00654	N/A

Second Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.52 Dia Vacuum Tip Holder Part# 15-03042




2nd Gen. Tip Pocket Part# 15-02237

PEM®: S™, SS™, CLS™, CLSS™

**824™ OneTouch™ -3 with
Medium Tip Pocket 15-02237**

Shuttle Nut Tooling
(Shank Code 3)




Notes:

1. The below tooling are available as MADE TO ORDER
2. PEM® CLA™ Aluminum nuts require custom tooling.


Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS	Included with set							
4-40-3	350-250-3	H-407-250-72	H-512-250-3	H-915-250-3	15-03021	15-02225	15-00650	15-02370
6-32-3	350-280-3	H-407-280-72	H-512-280-3	H-915-280-3	15-03027	15-02226	15-00651	15-02371
8-32-3	350-310-3	H-407-310-72	H-512-310-3	H-915-310-3	15-03028	15-02227	15-00652	15-02372
10-32-3	350-340-3	H-407-340-72	H-512-340-3	H-915-340-3	15-03029	15-02228	15-00653	15-02373
1/4-20-3	350-440-3	H-407-440-72	H-512-440	H-915-440	15-02989	15-02229	15-00654	15-00654

Second Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.52 Dia Vacuum Tip Holder Part# 15-03042



2nd Gen. Tip Pocket Part# 15-02237

PEM®: FH™, FHS™, FHA™

**824™ OneTouch™ -3 with
Medium Tip Pocket 15-02237**

Shuttle Stud Tooling




Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS		Included with set						
4-40 -5 to -16	352-218	H-309-218 -72	H-524-218	H-525-218	15-02362	15-02216	15-00655	15-02375
6-32 -5 to -20	352-234	H-309-234-72	H-524-234	H-525-234	15-02363	15-02216	15-00656	15-02376
8-32 -6 to -20	352-250	H-309-250-72	H-524-250	H-525-250	15-02364	15-02216	15-00657	15-02377
10-32 -6 to -20 10-24-6 to -20	352-281	H-309-281-72	H-524-281	H-525-281	15-02365	15-02216	15-00658	15-02378
1/4-20 -8 to -20	352-344	H-309-375-72	H-524-344	H-525-344	15-02366	15-02216	15-00659	15-02379


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS		Included with set						
M3 -6 to -25	353-218M	H-309-218-72	H-524-218	H-525-218	15-02362	15-02216	15-00670	15-02380
M3.5 -6 to -30	352-234	H-309-234-72	H-524-234	H-525-234	15-02363	15-02216	15-00656	15-02376
M4 -10 to -30	353-250M	H-309-250-72	H-524-250	H-525-250	15-02364	15-02216	15-00672	15-02382
M5 -10 to -30	353-281M	H-309-281-72	H-524-281	H-525-281	15-02365	15-02216	15-00673	15-02383
M6 -12 to -30	353-344M	H-309-375-72	H-524-344	H-525-344	15-02366	15-02216	15-00674	15-02384

Second Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.52 Dia Vacuum Tip Holder Part# 15-03042




2nd Gen. Tip Pocket Part# 15-02237

PEM®: SO™, SOA™, SOS™

**824™ OneTouch™ -3 with
Medium Tip Pocket 15-02237**

Shuttle Standoff Tooling




Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS		Included with set						
4-40 -8 to -24	354-265	H-309-250-72	H-524-265	H-525-265	15-02359	15-02221	15-00675	15-02385
64-40 -10 to -34	360-296	H-309-296-72	H-524-296	H-525-296	15-02360	15-02221	15-00676	15-02386
6-32 -10 to -34	354-296	H-309-296-72	H-524-296	H-525-296	15-02360	15-02222	15-00676	15-02386
86-32 -12 to -34	354-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02222	15-00677	15-02387
8-32 -12 to -34	355-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02223	15-00677	15-02387
10-32 -12 to -34	356-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02224	15-00677	15-02387


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS		Included with set						
M3 -6 to -25	357-265	H-309-250-72	H-524-265	H-525-265	15-02359	15-02217	15-00675	15-02385
3.5M3 -8 to -25	358-296	H-309-296-72	H-524-296	H-525-296	15-02360	15-02862	15-00676	15-02386
M4 -8 to -25	358-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02219	15-00677	15-02387
M5 -8 to -25	359-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02220	15-00677	15-02387

Second Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.52 Dia Vacuum Tip Holder Part# 15-03042




2nd Gen. Tip Pocket Part# 15-02237

PEM®: BSO™, BSOA™, BSOS™

**824™ OneTouch™ -3 with
Medium Tip Pocket 15-02237**

Shuttle Blind Standoff Tooling




Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	.5 VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
BLIND STANDOFFS	Included with set							
4-40 -8 to -34	361-265	H-309-250 -72	H-524-265	H-525-265	15-02359	15-02216	15-00675	15-02385
64-40 -10 to -34 6-32 -10 to -34	362-296	H-309-296-72	H-524-296	H-525-296	15-02360	15-02216	15-00676	15-02386
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	363-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02216	15-00677	15-02387


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	.5 VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
BLIND STANDOFFS	Included with set							
M3 -6 to -25	361-265	H-309-250-72	H-524-265	H-525-265	15-02359	15-02216	15-00675	15-02385
3.5M3 -8 to -25	362-296	H-309-296-72	H-524-296	H-525-296	15-02360	15-02216	15-00676	15-02386
M4 -8 to -25 M5 -8 to -25	363-375	H-309-410-72	H-524-375	H-525-375	15-02361	15-02216	15-00677	15-02387

Second Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.52 Dia Vacuum Tip Holder Part# 15-03042




2nd Gen. Tip Pocket Part# 15-02237

PEM®: S™, SS™, CLS™, CLSS™

**824™ OneTouch™ -3 with
Large Tip Pocket 15-02949**

Shuttle Nut Tooling



Notes:

PEM® CLA™ Aluminum nuts require custom tooling.


Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS		Included with set						
4-40-0,-1,-2	350-250-L	H-407-250-72	H-512-250	H-915-250	15-03117	15-02225	15-00650	15-02370
6-32-0,-1,-2	350-280-L	H-407-280-72	H-512-280	H-915-280	15-03118	15-02226	15-00651	15-02371
8-32-0,-1,-2	350-310-L	H-407-310-72	H-512-310	H-915-310	15-03119	15-02227	15-00652	15-02372
10-32-0,-1,-2	350-340-L	H-407-340-72	H-512-340	H-915-340	15-03120	15-02228	15-00653	15-02373
1/4-20-0,-1,-2	350-440-L	H-407-440-72	H-512-440	H-915-440	15-03121	15-02229	15-00654	N/A


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS		Included with set						
M3-0,-1,-2	351-250M-L	H-407-250-72	H-512-250M	H-915-250	15-03117	15-02225	15-00650	15-02370
M3.5-0,-1,-2	351-280M-L	H-407-280-72	H-512-280M	H-915-280	15-03118	15-02226	15-00651	15-02371
M4-0,-1,-2	351-310M-L	H-407-310-72	H-512-310M	H-915-310	15-03119	15-02227	15-00652	15-02372
M5-0,-1,-2	351-340M-L	H-407-340-72	H-512-340M	H-915-340	15-03120	15-02228	15-00653	15-02373
M6-0,-1,-2	350-440M-L	H-407-440-72	H-512-440M	H-915-440	15-03121	15-02229	15-00654	N/A

Third Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.59 Dia Vacuum Tip Holder Part# 15-03047



3rd Gen. Tip Pocket Part# 15-02949

PEM®: S™, SS™, CLS™, CLSS™

**824™ OneTouch™ -3 with
Large Tip Pocket 15-02949**

**Shuttle Nut Tooling
(Shank Code 3)**




Notes:

- 1. The below tooling are available as MADE TO ORDER
- 2. PEM® CLA™ Aluminum nuts require custom tooling.


Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS	Included with set							
4-40-3	350-250-3-L	H-407-250-72	H-512-250-3	H-915-250-3	15-03542	15-02225	15-00650	15-02370
6-32-3	350-280-3-L	H-407-280-72	H-512-280-3	H-915-280-3	15-03543	15-02226	15-00651	15-02371
8-32-3	350-310-3-L	H-407-310-72	H-512-310-3	H-915-310-3	15-03544	15-02227	15-00652	15-02372
10-32-3	350-340-3-L	H-407-340-72	H-512-340-3	H-915-340-3	15-03545	15-02228	15-00653	15-02373
1/4-20-3	350-440-3-L	H-407-440-72	H-512-440-3	H-915-440-3	15-03546	15-02229	15-00654	N/A

Third Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.59 Dia Vacuum Tip Holder Part# 15-03047



3rd Gen. Tip Pocket Part# 15-02949

PEM®: FH™, FHS™, FHA™

**824™ OneTouch™ -3 with
Large Tip Pocket 15-02949**

Shuttle Stud Tooling




Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS		Included with set						
4-40 -5 to -16	352-218-L	H-309-218 -72	H-524-218	H-525-218	15-03124	15-02216	15-00655	15-02375
6-32 -5 to -20	352-234-L	H-309-234-72	H-524-234	H-525-234	15-03125	15-02216	15-00656	15-02376
8-32 -6 to -20	352-250-L	H-309-250-72	H-524-250	H-525-250	15-03126	15-02216	15-00657	15-02377
10-32 -6 to -20 10-24 -6 to -20	352-281-L	H-309-281-72	H-524-281	H-525-281	15-03127	15-02216	15-00658	15-02378
1/4-20 -8 to -20	352-344-L	H-309-375-72	H-524-344	H-525-344	15-01328	15-02216	15-00659	15-02379


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS		Included with set						
M3 -6 to -25	353-281M-L	H-309-218-72	H-524-218	H-525-218	15-03124	15-02216	15-00670	15-02380
M3.5 -6 to -30	352-234-L	H-309-234-72	H-524-234	H-525-234	15-03125	15-02216	15-00656	15-02376
M4 -10 to -30	353-250M-L	H-309-250-72	H-524-250	H-525-250	15-03126	15-02216	15-00672	15-02382
M5 -10 to -30	353-281M-L	H-309-281-72	H-524-281	H-525-281	15-03127	15-02216	15-00673	15-02383
M6 -12 to -30	353-344M-L	H-309-375-72	H-524-344	H-525-344	15-03128	15-02216	15-00674	15-02384

Third Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips




.59 Dia Vacuum Tip Holder Part# 15-03047



3rd Gen. Tip Pocket Part# 15-02949

PEM®: SO™, SOA™, SOS™

824™ OneTouch™ -3 with Large Tip Pocket 15-02949 Shuttle Standoff Tooling




Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS		Included with set						
4-40 -8 to -24	354-265-L	H-309-250-72	H-524-265	H-525-265	15-03130	15-02221	15-00675	15-02385
64-40 -10 to -34	360-296-L	H-309-296-72	H-524-296	H-525-296	15-03131	15-02221	15-00676	15-02386
6-32 -10 to -34	354-296-L	H-309-296-72	H-524-296	H-525-296	15-03131	15-02222	15-00676	15-02386
86-32 -12 to -34	354-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02222	15-00677	15-02387
8-32 -12 to -34	355-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02223	15-00677	15-02387
10-32 -12 to -34	356-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02224	15-00677	15-02387


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS		Included with set						
M3 -6 to -25	357-265-L	H-309-250-72	H-524-265	H-525-265	15-03130	15-02217	15-00675	15-02385
3.5M3 -8 to -25	358-296-L	H-309-296-72	H-524-296	H-525-296	15-03131	15-02862	15-00676	15-02386
M4 -8 to -25	358-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02219	15-00677	15-02387
M5 -8 to -25	359-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02220	15-00677	15-02387

Third Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.59 Dia Vacuum Tip Holder Part# 15-03047




3rd Gen. Tip Pocket Part# 15-02949

PEM®: BSO™, BSOA™, BSOS™

**824™ OneTouch™ -3 with
Large Tip Pocket 15-02949**

Shuttle Blind Standoff Tooling




Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
BLIND STANDOFFS	Included with set							
4-40 -8 to -24	361-265-L	H-309-250 -72	H-524-265	H-525-265	15-03130	15-02216	15-00675	15-02385
64-40 -10 to -34 6-32 -10 to -34	362-296-L	H-309-296-72	H-524-296	H-525-296	15-03131	15-02216	15-00676	15-02386
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	363-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02216	15-00677	15-02387


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
BLIND STANDOFFS	Included with set							
M3 -6 to -25	361-265-L	H-309-250-72	H-524-265	H-525-265	15-03130	15-02216	15-00675	15-02385
3.5M3 -8 to -25	362-296-L	H-309-296-72	H-524-296	H-525-296	15-03131	15-02216	15-00676	15-02386
M4 -8 to -25 M5 -8 to -25	363-375-L	H-309-410-72	H-524-375	H-525-375	15-03132	15-02216	15-00677	15-02387

Third Generation 824™ OneTouch™ -3 with .663 Dia. Vacuum Tips



.59 Dia Vacuum Tip Holder Part# 15-03047




3rd Gen. Tip Pocket Part# 15-02949

PEM[®]: S[™], SS[™], CLS[™], CLSS[™]

824[™] WindowTouch[®] -4e, -5e
618[™] MSPe & 824[™] MSPe

Shuttle Nut Tooling



Notes:

PEM[®] CLA[™] Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set					
4-40-0,-1,-2	470-250	CLEAR	H-407-250-72	35N-MOD-4	15-01844	H-598-112	H-442-166S
6-32-0,-1,-2	470-280	RED	H-407-280-72	35N-MOD-6	15-01845	H-598-136	H-442-187S
8-32-0,-1,-2	470-310	BLUE	H-407-310-72	35N-MOD-8	15-01846	H-598-164	H-442-213S
10-32-0,-1,-2	470-340	GREEN	H-407-340-72	35N-MOD-10	15-01847	H-598-190	H-442-250S
10-24-0,-1,-2	470-341	GREEN	H-407-340-72	35N-MOD-10	15-01847	H-598-191	H-442-250S
1/4-20-0,-1,-2	470-440	YELLOW	H-407-440-72	35N-MOD-04	15-01848	H-598-250	H-442-344S
5/16-18 -1,-2	470-500	ORANGE	H-407-500-72	35N-MOD-05	15-03113	H-598-312	H-442-413S

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set					
M2.5-0,-1,-2	470-251M	CLEAR	H-407-250-72	35N-MOD-M3	15-01844	H-598-098	H-442-166S
M3-0,-1,-2	470-250M	CLEAR	H-407-250-72	35N-MOD-M3	15-01844	H-598-118	H-442-166S
M3.5-0,-1,-2	470-280M	RED	H-407-280-72	35N-MOD-M3.5	15-01845	H-598-138	H-442-187S
M4-0,-1,-2	470-310M	BLUE	H-407-310-72	35N-MOD-M4	15-01846	H-598-160	H-442-213S
M5-0,-1,-2	470-340M	GREEN	H-407-340-72	35N-MOD-M5	15-01847	H-598-197	H-442-250S
M6-0,-1,-2	470-440M	YELLOW	H-407-440-72	35N-MOD-M6	15-01848	H-598-236	H-442-344S
M8-0,-1,-2	470-500M	CLEAR	H-407-500-72	35N-MOD-M8	15-03113	H-598-315	H-442-413S

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set						
3/8-16, -1,-2	470-560	CLEAR	8001941	35N-ORNT-06	35N-SING-06	15-03493	H-598-375	15-442-500S
M10-0,-1,-2	471-683M	CLEAR	H-407-750-96	15-03652	15-03653	15-03633	H-598-393	H-442-550S

Notes:


3/8-16 and M10 nuts may only be installed using 824WindowTouch or 824MSPe machines.
A one time purchase of a Singulation Stand is required for 3/8-16 and M10 nut tooling.

15-42362 Assembly, Singulation Stand, MAS 350

PEM®: S™, SS™, CLS™, CLSS™

824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Shuttle Nut Tooling
(Shank Code 3)



Notes:

1. The below tooling are available as MADE TO ORDER
2. PEM® CA Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set					
4-40-3	473-250	CLEAR	H-407-250-72	35N-MOD-4-3	15-01862	H-598-112	H-442-166S
6-32-3	473-280	RED	H-407-280-72	35N-MOD-6-3	15-01863	H-598-136	H-442-187S
8-32-3	473-310	BLUE	H-407-310-72	35N-MOD-8-3	15-01864	H-598-164	H-442-213S
10-32-3	473-340	GREEN	H-407-340-72	35N-MOD-10-3	15-01865	H-598-190	H-442-250S
10-24-3	437-341	GREEN	H-407-340-72	35N-MOD-10-3	15-01865	H-598-191	H-442-250S
1/4-20-3	473-440	YELLOW	H-407-440-72	35N-MOD-04-3	15-01866	H-598-250	H-442-344S
5/16-18-3	473-500	ORANGE	H-407-500-72	35N-MOD-05-3	15-03133	H-598-312	H-442-413S

Optional Vacuum Punch Caps


A convenient way to convert nut vacuum punches into a manual flat punch. Usable only on 824 WindowTouch -3, -4e, -5e, 618 MSPe, and 824 MSPe machines.

VACUUM PUNCH NUT SIZES	VACUUM PUNCH CAP
#4 & M3 thru #8 & M4	15-03834
#10 & M5 thru O420 & M6	15-03235

PEM®: SP™

824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Shuttle SP™ Nut Tooling



Notes:

The below tooling are available as MADE TO ORDER

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set					
4-40-0,-1,-2	400-250	CLEAR	H-407-250-72	35N-MOD-4	15-43010	H-698-084	H-442-166S
6-32-0,-1,-2	400-280	RED	H-407-280-72	35N-MOD-6	15-43011	H-698-105	H-442-187S
8-32-0,-1,-2	400-310	BLUE	H-407-310-72	35N-MOD-8	15-43012	H-698-129	H-442-213S
10-32-0,-1,-2	400-340	GREEN	H-407-340-72	35N-MOD-10	15-43013	H-698-155	H-442-250S
1/4-20-0,-1,-2	400-440	YELLOW	H-407-440-72	35N-MOD-04	15-43014	H-698-195	H-442-344S


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
NUTS		Included with set					
M3-0,-1,-2	400-250M	CLEAR	H-407-250-72	35N-MOD-M3	15-43010	H-698-093	H-442-166S
M4-0,-1,-2	400-310M	BLUE	H-407-310-72	35N-MOD-M4	15-43012	H-698-122	H-442-213S
M5-0,-1,-2	400-340M	GREEN	H-407-340-72	35N-MOD-M5	15-43013	H-698-161	H-442-250S
M6-0,-1,-2	400-440M	YELLOW	H-407-440-72	35N-MOD-M6	15-43014	H-698-186	H-442-344S

PEM[®]: S[™], SS[™], CLS[™], CLSS[™]

824[™] WindowTouch[®] -4e, -5e
618[™] MSPe & 824[™] MSPe

Bottom Feed Nut Tooling



Notes:

PEM[®] CLA[™] Aluminum nuts require custom tooling.

A one time purchase of a Singulation Stand is required for M10 nut tooling.

15-42362 Assembly, Singulation Stand, MAS 350

Inch Sizes

FASTENER SIZE	ABFT SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	ABFT ASSY
NUTS			Included with set		
2-56 & 4-40 0,-1,-2	411-250	CLEAR	H-407-250 -72	35N-MOD-4	H-908-250
2-56 & 4-40 (-3)	413-250	CLEAR	H-407-250 -72	35N-MOD-4-3	H-908-250-3
6-32-0,-1,-2	411-280	RED	H-407-280-72	35N-MOD-6	H-908-280
6-32-3	413-280	RED	H-407-280-72	35N-MOD-6-3	H-908-280-3
8-32-0,-1,-2	411-310	BLUE	H-407-310-72	35N-MOD-8	H-908-310
8-32-3	413-310	BLUE	H-407-310-72	35N-MOD-8-3	H-908-310-3
10-32-0,-1,-2	411-340	GREEN	H-407-340-72	35N-MOD-10	H-908-340
10-32-3	413-340	GREEN	H-407-340-72	35N-MOD-10-3	H-908-340-3
1/4-20-0,-1,-2	411-440	YELLOW	H-407-440-72	35N-MOD-04	H-700-440
1/4-20-3	413-440	YELLOW	H-407-440-72	35N-MOD-04-3	H-700-440-3
5/16-0,-1,-2	411-500	ORANGE	H-407-500-72	35N-MOD-05	H-700-500
5/16-3	413-500	ORANGE	H-407-500-72	35N-MOD-05-3	H-700-500-3

Metric Sizes


FASTENER SIZE	ABFT SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	ABFT ASSY
NUTS			Included with set		
M2, M2.5, M3 -0,-1,-2	411-250M	CLEAR	H-407-250-72	35N-MOD-M3	H-908-250
M3.5-0,-1,-2	411-280M	RED	H-407-280-72	35N-MOD-M3.5	H-908-280
M4-0,-1,-2	411-310M	BLUE	H-407-310-72	35N-MOD-M4	H-908-310
M5-0,-1,-2	411-340M	GREEN	H-407-340-72	35N-MOD-M5	H-908-340
M6-0,-1,-2	411-440M	YELLOW	H-407-440-72	35N-MOD-M6	H-700-440
M8-0,-1,-2	411-500M	ORANGE	H-407-500-72	35N-MOD-M8	H-700-500

FASTENER SIZE	ABFT SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	ABFT ASSY
NUTS			Included with set			
M10-0,-1,-3	415-683M	CLEAR	H-407-750-96	15-03652	15-03653	H-700-683

PEM®: S™, SST™, CLS™, CLSS™


824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Bottom Feed Nut Tooling



ABFT J-frame:

15-41870 ABFT J-FRAME ASSEMBLY, WT/OTLITE-4e, -5e
FITS ABFT SIZES 4-40/M3 THRU 10-32/M5



PEM®: FH™, FHS™, FHA™

824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Shuttle Stud Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL lengths up to -16 (Optional)
STUDS			Included with set					
4-40 -4 to -16	480-218	RED	H-309-218-72	35T-MOD-M3	15-01854	H-388-067	H-344-113	H-346-113
6-32 -5 to -20	480-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-01855	H-388-067	H-344-139	H-346-139
8-32 -6 to -20	480-250	GREEN	H-309-250-72	35T-MOD-M4	15-01856	H-388-093	H-344-166	H-346-166
10-32 -6 to -20 10-24-6 to -20	480-281	YELLOW	H-309-281-72	35T-MOD-M5	15-01857	H-388-093	H-344-191	H-346-191
1/4-20 -8 to -20	480-344	CLEAR	H-309-375-72	35T-MOD-M6	15-01858	H-388-093	H-344-250	N/A
5/16-18 -8 to -20	480-500	CLEAR	8002368	35T-MOD-M8	15-01809	H-388-093	H-344-315	N/A

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA AUTO ANVIL lengths up to -25 (Optional)
STUDS			Included with set					
M3 -6 to -25	480-218M	RED	H-309-218-72	35T-MOD-M3	15-01854	H-388-067	H-344-121	H-346-121
M3.5 -6 to -30	480-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-01855	H-388-067	H-344-139	H-346-139
M4 -10 to -30	480-250M	GREEN	H-309-250-72	35T-MOD-M4	15-01856	H-388-093	H-344-160	H-346-160
M5 -10 to -30	480-281M	YELLOW	H-309-281-72	35T-MOD-M5	15-01857	H-388-093	H-344-199	H-346-199
M6 -12 to -30	480-344M	CLEAR	H-309-375-72	35T-MOD-M6	15-01858	H-388-093	H-344-236	N/A
M8 -12 to -30	480-500	CLEAR	8002368	35T-MOD-M8	15-01809	H-388-093	H-344-315	N/A

FH4™ Studs

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
STUDS			Included with set				
4-40 -4 to -16	401-218	RED	H-309-218-72	35T-MOD-M3	15-01854	H-388-067	H-345-113
6-32 -5 to -20	401-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-01855	H-388-067	H-345-139
8-32 -6 to -20	401-250	GREEN	H-309-250-72	35T-MOD-M4	15-01856	H-388-093	H-345-166
10-32 -6 to -20	401-281	YELLOW	H-309-281-72	35T-MOD-M5	15-01857	H-388-093	H-345-191
M3 -6 TO -25	401-218M	RED	H-309-218-72	35T-MOD-M3	15-01854	H-388-067	H-345-121
M4 -10 to -30	401-250M	GREEN	H-309-250-72	35T-MOD-M4	15-01856	H-388-093	H-345-160
M5 -10 to -30	401-281M	YELLOW	H-309-281-72	35T-MOD-M5	15-01857	H-388-093	H-345-199

PEM[®]: HFH[™], HFHS[™], HFHB[™]

824[™] WindowTouch[®] -4e, -5e
618[™] MSPe & 824[™] MSPe

Shuttle HFH Studs Tooling



Notes:

The below tooling are available as MADE TO ORDER

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
STUDS			Included with set					
M5 -15 to -35	437-320M	CLEAR	H-309-375-72	35HF-MOD-M5	15-03339	15-03890	H-344-199	H-348-199
10-32 -8 to -20	437-320	CLEAR	H-309-375-72	35HF-MOD-M5	15-03339	15-03890	H-344-191	H-348-191

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
STUDS			Included with set				
M6 -15 to -35	437-400M	CLEAR	8002368	35HF-MOD-M6	15-03340	15-03891	H-344-236
1/4-20 -8 to -20	437-400	CLEAR	8002368	35HF-MOD-04	15-03340	15-03891	H-344-250

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
STUDS			Included with set					
5/16-18 -12 to -20 M8 -20 to -35	437-500M	CLEAR	H-309-535	35HF-ORNT-M8	35HF-SING-M8	15-03341	15-03892	H-344-315

Notes:

A one time purchase of a Singulation Stand is required for HFH 5/15-18 & M8 tooling


15-42362 Assembly, Singulation Stand, MAS 350

* WindowTouch & MSPe machine 1/2" diameter anvils can install up to lengths -16 (inch) or -25 (metric) only

PEM®: SO™, SOA™, SOS™

824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Shuttle Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI- MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
STANDOFFS			Included with set					
4-40 -8 to -24	490-265	GREEN	H-309-250 -72	35S-MOD-M3	15-01859	H-398-084	H-344-169	H-346-169
64-40 -10 to -34	490-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-01860	H-398-084	H-344-216	H-346-216
6-32 -10 to -34	491-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-01860	H-398-105	H-344-216	H-346-216
86-32 -12 to -34	490-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-398-105	H-344-284	H-346-284
8-32 -12 to -34	491-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-398-129	H-344-284	H-346-284
10-32 -12 to -34	492-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-398-155	H-344-284	H-346-284

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI- MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
STANDOFFS			Included with set					
M3 -6 to -25	491-265	GREEN	H-309-250-72	35S-MOD-M3	15-01859	H-398-093	H-344-169	H-346-169
3.5M3 -8 to -25	492-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-01860	H-398-093	H-344-216	H-346-216
M4 -8 to -25	493-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-398-122	H-344-284	H-346-284
M5 -8 to -25	494-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-398-161	H-344-284	H-346-284


Notes:

* WindowTouch & MSPe machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

PEM[®]: SO[™], SOA[™], SOS[™]

824[™] WindowTouch[®] -4e, -5e
618[™] MSPe & 824[™] MSPe

Shuttle Short Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
STANDOFFS			Included with set					
#4-4	490-265-4	CLEAR	14-00220	35SS-MOD-M3-3	15-03393	H-398-084	H-344-169	H-346-169
#4-6	490-265-6	RED	H-407-280-72	35SS-MOD-4-6	15-03742	H-398-084	H-344-169	H-346-169
#64-4	490-296-4	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03395	H-398-084	H-344-216	H-346-216
#64-6	490-296-6	BLUE	H-407-310-72	35SS-MOD-6-6	15-03396	H-398-084	H-344-216	H-346-216
#64-8	490-296-8	PURPLE	H-407-265-72	35SS-MOD-6-8	15-03743	H-398-084	H-344-216	H-346-216
#6-4	491-296-4	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03395	H-398-105	H-344-216	H-346-216
#6-6	491-296-6	BLUE	H-407-310-72	35SS-MOD-6-6	15-03396	H-398-105	H-344-216	H-346-216
#6-8	491-296-8	PURPLE	H-407-265-72	35SS-MOD-6-8	15-03743	H-398-105	H-344-216	H-346-216
#86-4	490-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03744	H-398-105	H-344-284	H-346-284
#86-6	490-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03399	H-398-105	H-344-284	H-346-284
#86-8	490-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03745	H-398-105	H-344-284	H-346-284
#8-4	491-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03744	H-398-129	H-344-284	H-346-284
#8-6	491-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03399	H-398-129	H-344-284	H-346-284
#8-8	491-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03745	H-398-129	H-344-284	H-346-284
#10-4	492-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03744	H-398-155	H-344-284	H-346-284
#10-6	492-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03399	H-398-155	H-344-284	H-346-284
#10-8	492-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03745	H-398-155	H-344-284	H-346-284


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
STANDOFFS			Included with set					
M3-3	491-265-3	CLEAR	14-00220	35SS-MOD-M3-3	15-03393	H-398-093	H-344-169	H-346-169
M3-4	491-265-4	RED	H-407-280-72	35SS-MOD-M3-4	15-03394	H-398-093	H-344-169	H-346-169
3.5M3-3	492-296-3	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03395	H-398-093	H-344-216	H-346-216
3.5M3-4	492-296-4	BLUE	H-407-310-72	35SS-MOD-M3.5-4	15-03397	H-398-093	H-344-216	H-346-216
3.5M3-6	492-296-6	PURPLE	H-407-265-72	35SS-MOD-M3.5-6	15-03398	H-398-093	H-344-216	H-346-216
M4-3	493-375-3	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03744	H-398-122	H-344-284	H-346-284
M4-4	493-375-4	GREEN	H-407-340-72	35SS-MOD-M4-4	15-03400	H-398-122	H-344-284	H-346-284
M4-6	493-375-6	PURPLE	H-407-265-72	35SS-MOD-M4-6	15-03401	H-398-122	H-344-284	H-346-284
M5-3	494-375-3	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03744	H-398-161	H-344-284	H-346-284
M5-4	494-375-4	GREEN	H-407-340-72	35SS-MOD-M4-4	15-03400	H-398-161	H-344-284	H-346-284
M5-6	494-375-6	PURPLE	H-407-265-72	35SS-MOD-M4-6	15-03401	H-398-161	H-344-284	H-346-284

PEM®: BSO™, BSOA™, BSOS™

824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Shuttle Blind Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
BLIND STANDOFFS			Included with set					
4-40 -8 to -34	495-265	GREEN	H-309-250 -72	35S-MOD-M3	15-01859	H-398-084	H-344-169	H-346-169
64-40 -10 to -34 6-32 -10 to -34	495-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-01860	H-388-067	H-344-216	H-346-216
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	495-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-388-093	H-344-284	H-346-284

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL	1/2" DIA. AUTO ANVIL* (Optional)
BLIND STANDOFFS			Included with set					
M3 -6 to -25	495-265	GREEN	H-309-250-72	35S-MOD-M3	15-01859	H-388-067	H-344-169	H-346-169
3.5M3 -8 to -25	495-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-01860	H-388-067	H-344-216	H-346-216
M4 -8 to -25 M5 -8 to -25	495-375	ORANGE	H-309-410-72	35S-MOD-M4	15-01861	H-388-093	H-344-284	H-346-284


Notes:

* WindowTouch & MSPe machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

PEM®: F™

824™ WindowTouch® -4e, -5e
618™ MSPe & 824™ MSPe

Shuttle Flush Nut Tooling



Notes:

The below tooling are available as MADE TO ORDER

Inch Sizes


FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
FLUSH NUTS		Included with set				
440-1	481-230	14-00220	35FN-MOD-M3-1	15-02019	H-398-084	H-442-230S
440-2	482-230	14-00220	35FN-MOD-M3-2	15-02020	H-398-084	H-442-230S
6-32-1	481-295	14-00221	35FN-MOD-M3.5-1	15-02021	H-398-105	H-442-295S
6-32-2	482-295	14-00221	35FN-MOD-M3.5-2	15-02022	H-398-105	H-442-295S
8-32-1	481-375	14-00222	35FN-MOD-M4-1	15-02023	H-398-129	H-442-375S
8-32-2	482-375	14-00222	35FN-MOD-M4-2	15-02024	H-398-129	H-442-375S
10-32-1	481-405	14-00223	35FN-MOD-M5-1	15-02025	H-398-155	H-442-405S
10-32-2	482-405	14-00223	35FN-MOD-M5-2	15-02026	H-398-155	H-442-405S

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
FLUSH NUTS		Included with set				
M3-1	481-230M	14-00220	35FN-MOD-M3-1	15-02019	H-398-093	H-442-230S
M3-2	482-230M	14-00220	35FN-MOD-M3-2	15-02020	H-398-093	H-442-230S
M3.5-1	481-295M	14-00221	35FN-MOD-M3.5-1	15-02021	H-398-114	H-442-295S
M3.5-2	482-295M	14-00221	35FN-MOD-M3.5-2	15-02022	H-398-114	H-442-295S
M4-1	481-375M	14-00222	35FN-MOD-M4-1	15-02023	H-398-122	H-442-375S
M4-2	482-375M	14-00222	35FN-MOD-M4-2	15-02024	H-398-122	H-442-375S
M5-1	481-405M	14-00223	35FN-MOD-M5-1	15-02025	H-398-161	H-442-405S
M5-2	482-405M	14-00223	35FN-MOD-M5-2	15-02026	H-398-161	H-442-405S

PEM®: S™, SS™, CLS™, CLSS™

824™ OneTouch™ -4e, -5e Shuttle Nut Tooling



Notes:

PEM® CLA™ Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS			Included with set					
4-40-0,-1,-2	450-250	CLEAR	H-407-250-72	35N-MOD-4	15-03117	15-02225	15-00650	15-02370
6-32-0,-1,-2	450-280	RED	H-407-280-72	35N-MOD-6	15-03118	15-02226	15-00651	15-02371
8-32-0,-1,-2	450-310	BLUE	H-407-310-72	35N-MOD-8	15-03119	15-02227	15-00652	15-02372
10-32-0,-1,-2	450-340	GREEN	H-407-340-72	35N-MOD-10	15-03120	15-02228	15-00653	15-02373
10-24-0,-1,-2	450-341	GREEN	H-407-340-72	35N-MOD-10	15-03120	15-02235	15-00653	15-02373
1/4-20-0,-1,-2	450-440	YELLOW	H-407-440-72	35N-MOD-04	15-03121	15-02229	15-00654	N/A
5/16-1,-2	450-500	ORANGE	H-407-500-72	35N-MOD-05	15-03122	15-02272	15-02374	N/A

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS			Included with set					
M2.5-0,-1,-2	450-251M	CLEAR	H-407-250-72	35N-MOD-M3	15-03117	15-02248	15-00650	15-02370
M3-0,-1,-2	450-250M	CLEAR	H-407-250-72	35N-MOD-M3	15-03117	15-02230	15-00650	15-02370
M3.5-0,-1,-2	450-280M	RED	H-407-280-72	35N-MOD-M3.5	15-03118	15-02231	15-00651	15-02371
M4-0,-1,-2	450-310M	BLUE	H-407-310-72	35N-MOD-M4	15-03119	15-02232	15-00652	15-02372
M5-0,-1,-2	450-340M	GREEN	H-407-340-72	35N-MOD-M5	15-03120	15-02233	15-00653	15-02373
M6-0,-1,-2	450-440M	YELLOW	H-407-440-72	35N-MOD-M6	15-03121	15-02234	15-00654	N/A
M8-0,-1,-2	450-500M	ORANGE	H-407-500-72	35N-MOD-M8	15-03122	15-02238	15-02374	N/A

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS			Included with set					
3/8-16, -1,-2	450-560	CLEAR	8001941	35N-ORNT-06	35N-SING-06	15-03123	15-03838	15-42994
M10-0,-1,-2	451-683M	CLEAR	H-407-750-96	15-03652	15-03653	15-03246	15-03254	15-03256


Notes:

A one time purchase of a Singulation Stand is required for 3/8-16 and M10 nut tooling

15-42362 Assembly, Singulation Stand, MAS 350

PEM®: S™, SS™, CLS™, CLSS™

824™ OneTouch™ -4e, -5e
Shuttle Nut Tooling
(Shank Code 3)



Notes:

- 1. The below tooling are available as MADE TO ORDER
- 2. PEM® CLA™ Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
NUTS			Included with set					
4-40-3	499-250	CLEAR	H-407-250-72	35N-MOD-4-3	15-03542	15-02225	15-00650	15-02370
6-32-3	499-280	RED	H-407-280-72	35N-MOD-6-3	15-03543	15-02226	15-00651	15-02371
8-32-3	499-310	BLUE	H-407-310-72	35N-MOD-8-3	15-03544	15-02227	15-00652	15-02372
10-32-3	499-340	GREEN	H-407-340-72	35N-MOD-10-3	15-03545	15-02228	15-00653	15-02373
10-24-3	499-341	GREEN	H-407-340-72	35N-MOD-10-3	15-03545	15-02235	15-00653	15-02373
1/4-20-3	499-440	YELLOW	H-407-440-72	35N-MOD-04-3	15-03546	15-02229	15-00654	N/A

PEM®: SP™

824™ OneTouch™ -4e, -5e

Shuttle SP Nut Tooling



Notes:

The below tooling are available as MADE TO ORDER

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
4-40-0,-1,-2	410-250	CLEAR	H-407-250-72	35N-MOD-4	15-43015	15-03916	15-00650
6-32-0,-1,-2	410-280	RED	H-407-280-72	35N-MOD-6	15-43016	15-03918	15-00651
8-32-0,-1,-2	410-310	BLUE	H-407-310-72	35N-MOD-8	15-43017	15-03920	15-00652
10-32-0,-1,-2	410-340	GREEN	H-407-340-72	35N-MOD-10	15-43018	15-03921	15-00653
1/4-20-0,-1,-2	410-440	YELLOW	H-407-440-72	35N-MOD-04	15-43019	15-03953	15-00654

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
M3-0,-1,-2	410-250M	CLEAR	H-407-250-72	35N-MOD-M3	15-43015	15-03917	15-00650
M4-0,-1,-2	410-310M	BLUE	H-407-310-72	35N-MOD-M4	15-43017	15-03919	15-00652
M5-0,-1,-2	410-340M	GREEN	H-407-340-72	35N-MOD-M5	15-43018	15-03922	15-00653
M6-0,-1,-2	410-440M	YELLOW	H-407-440-72	35N-MOD-M6	15-43019	15-03923	15-00654

PEM®: FH™, FHS™, FHA™, FH4™

824™ OneTouch™ -4e, -5e

Shuttle Stud Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS			Included with set					
4-40 -4 to -16	452-218	RED	H-309-218-72	35T-MOD-M3	15-03124	15-02216	15-00655	15-02375
6-32 -5 to -20	452-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-03125	15-02216	15-00656	15-02376
8-32 -6 to -20	452-250	GREEN	H-309-250-72	35T-MOD-M4	15-03126	15-02216	15-00657	15-02377
10-32 -6 to -20 10-24-6 to -20	452-281	YELLOW	H-309-281-72	35T-MOD-M5	15-03127	15-02216	15-00658	15-02378
1/4-20 -8 to -20	452-344	CLEAR	H-309-375-72	35T-MOD-M6	15-03128	15-02216	15-00659	15-02379
5/16-18 -8 to -20	452-500	CLEAR	8002368	35T-MOD-M8	15-03220	15-02216	15-00662	N/A

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS			Included with set					
M3 -6 to -25	452-218M	RED	H-309-218-72	35T-MOD-M3	15-03124	15-02216	15-00670	15-02380
M3.5 -6 to -30	452-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-03125	15-02216	15-00656	15-02381
M4 -10 to -30	452-250M	GREEN	H-309-250-72	35T-MOD-M4	15-03126	15-02216	15-00672	15-02382
M5 -10 to -30	452-281M	YELLOW	H-309-281-72	35T-MOD-M5	15-03127	15-02216	15-00673	15-02383
M6 -12 to -30	452-344M	CLEAR	H-309-375-72	35T-MOD-M6	15-03128	15-02216	15-00674	15-02384
M8 -12 to -30	452-500	CLEAR	8002368	35T-MOD-M8	15-03220	15-02216	15-00662	N/A

FH4™ STUDS

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
STUDS			Included with set				
4-40 - 4 to -16	402-218	RED	H-309-218-72	35T-MOD-M3	15-03124	15-02216	15-03360
6-32 -5 to 20	402-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-03125	15-02216	15-03361
8-32 -6 to 20	402-250	GREEN	H-309-250-72	35T-MOD-M4	15-03126	15-02216	15-03362
10-32 -6 to 20	402-281	YELLOW	H-309-281-72	35T-MOD-M5	15-03127	15-02216	15-03363
M3 -6 to -25	402-218M	RED	H-309-218-72	35T-MOD-M3	15-03126	15-02216	15-03365
M4 - 10 to -30	402-250M	GREEN	H-309-250-72	35T-MOD-M4	15-03127	15-02216	15-03366
M5 - 10 to -30	402-281M	YELLOW	H-309-281-72	35T-MOD-M5	15-03128	15-02216	15-03367

PEM®: HFH™, HFHS™, HFHB™

824™ OneTouch™ -4e, -5e

Shuttle HFH Studs Tooling



Notes:

The below tooling are available as MADE TO ORDER

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS			Included with set					
M5 -15 to -30	497-320M	CLEAR	H-309-375-72	35HF-MOD-M5	15-03342	15-03896	15-00673	15-02383
10-32 -8 to -20	497-320	CLEAR	H-309-375-72	35HF-MOD-M5	15-03342	15-03896	15-00658	15-02378

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STUDS			Included with set					
M6 -15 to -30	497-400M	CLEAR	8002368	35HF-MOD-M6	15-03343	15-03897	15-00674	15-02384
1/4-20 -8 to -20	497-400	CLEAR	8002368	35HF-MOD-04	15-03343	15-03897	15-00659	15-02379

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
STUDS			Included with set					
5/16-18 -12 to -20 M8 -20 to -30	497-500M	CLEAR	H-309-535	35HF-ORNT-M8	35HF-SING-M8	15-03344	15-03898	15-00662


Notes:

A one time purchase of a Singulation Stand is required for HFH™ 5/15-18 & M8 tooling

15-42362 Assembly, Singulation Stand, MAS 350

PEM®: SO™, SOA™, SOS™

824™ OneTouch™ -4e, -5e Shuttle Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS			Included with set					
4-40 -8 to -24	454-265	GREEN	H-309-250 -72	35S-MOD-M3	15-03130	15-02221	15-00675	15-02385
64-40 -10 to -34	460-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02221	15-00676	15-02386
6-32 -10 to -34	454-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02222	15-00676	15-02386
86-32 -12 to -34	454-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02222	15-00677	15-02387
8-32 -12 to -34	455-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02223	15-00677	15-02387
10-32 -12 to -34	456-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02224	15-00677	15-02387


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS			Included with set					
M3 -6 to -25	457-265	GREEN	H-309-250 -72	35S-MOD-M3	15-03130	15-02217	15-00675	15-02385
3.5M3 -8 to -25	458-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02217	15-00676	15-02386
M4 -8 to -25	458-375	ORANGE	H-309-410-72	35S-MOD-M3.5	15-03132	15-02219	15-00677	15-02387
M5 -8 to -25	459-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02220	15-00677	15-02387

PEM®: SO™, SOA™, SOS™

824™ OneTouch™ -4e, -5e

Shuttle Short Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS			Included with set					
#4-4	454-265-4	CLEAR	14-00220	35SS-MOD-M3-3	15-03747	15-02221	15-00675	15-02385
#4-6	454-265-6	RED	H-407-280-72	35SS-MOD-4-6	15-03756	15-02221	15-00675	15-02385
#64-4	460-296-4	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03749	15-02221	15-00676	15-02386
#64-6	460-296-6	BLUE	H-407-310-72	35SS-MOD-6-6	15-03750	15-02221	15-00676	15-02386
#64-8	460-296-8	PURPLE	H-407-265-72	35SS-MOD-6-8	15-03757	15-02221	15-00676	15-02386
#6-4	454-296-4	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03749	15-02222	15-00676	15-02386
#6-6	454-296-6	BLUE	H-407-310-72	35SS-MOD-6-6	15-03750	15-02222	15-00676	15-02386
#6-8	454-296-8	PURPLE	H-407-265-72	35SS-MOD-6-8	15-03757	15-02222	15-00676	15-02386
#86-4	454-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02222	15-00677	15-02387
#86-6	454-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03753	15-02222	15-00677	15-02387
#86-8	454-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03759	15-02222	15-00677	15-02387
#8-4	455-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02223	15-00677	15-02387
#8-6	455-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03753	15-02223	15-00677	15-02387
#8-8	455-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03759	15-02223	15-00677	15-02387
#10-4	456-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02224	15-00677	15-02387
#10-6	456-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03753	15-02224	15-00677	15-02387
#10-8	456-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03759	15-02224	15-00677	15-02387


Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
STANDOFFS			Included with set					
M3-3	457-265-3	CLEAR	14-00220	35SS-MOD-M3-3	15-03747	15-02217	15-00675	15-02385
M3-4	457-265-4	RED	H-407-280-72	35SS-MOD-M3-4	15-03748	15-02217	15-00675	15-02385
3.5M3-3	458-296-3	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03749	15-02217	15-00676	15-02386
3.5M3-4	458-296-4	BLUE	H-407-310-72	35SS-MOD-M3.5-4	15-03751	15-02217	15-00676	15-02386
3.5M3-6	458-296-6	PURPLE	H-407-265-72	35SS-MOD-M3.5-6	15-03752	15-02217	15-00676	15-02386
M4-3	458-375-3	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02219	15-00677	15-02387
M4-4	458-375-4	GREEN	H-407-340-72	35SS-MOD-M4-4	15-03754	15-02219	15-00677	15-02387
M4-6	458-375-6	PURPLE	H-407-265-72	35SS-MOD-M4-6	15-03755	15-02219	15-00677	15-02387
M5-3	459-375-3	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02220	15-00677	15-02387
M5-4	459-375-4	GREEN	H-407-340-72	35SS-MOD-M4-4	15-03754	15-02220	15-00677	15-02387
M5-6	459-375-6	PURPLE	H-407-265-72	35SS-MOD-M4-6	15-03755	15-02220	15-00677	15-02387

PEM®: BSO™, BSOA™, BSOS™

824™ OneTouch™ -4e, -5e

Shuttle Blind Standoff Tooling



Inch Sizes


FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
BLIND STANDOFFS			Included with set					
4-40 -8 to -34	461-265	GREEN	H-309-250 -72	35S-MOD-M3	15-03130	15-02216	15-00675	15-02385
64-40 -10 to -34 6-32 -10 to -34	462-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02216	15-00676	15-02386
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	463-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02216	15-00677	15-02387

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional)
BLIND STANDOFFS			Included with set					
M3 -6 to -25	461-265	GREEN	H-309-250-72	35S-MOD-M3	15-03130	15-02216	15-00675	15-02385
3.5M3 -8 to -25	462-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02216	15-00676	15-02386
M4 -8 to -25 M5 -8 to -25	463-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02216	15-00677	15-02387

PEM®: F™

824™ OneTouch™ -4e, -5e Shuttle Flush Nut Tooling



Notes:

The below tooling are available as MADE TO ORDER

Inch Sizes


FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	MAS 9 MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
FLUSH NUTS		Included with set				
440-1	421-230	14-00220	35FN-MOD-M3-1	15-42351	15-03675	15-02670
440-2	422-230	14-00220	35FN-MOD-M3-2	15-42352	15-03675	15-02670
6-32-1	421-295	14-00221	35FN-MOD-M3.5-1	15-42353	15-03676	15-02671
6-32-2	422-295	14-00221	35FN-MOD-M3.5-2	15-42354	15-03676	15-02671
8-32-1	421-375	14-00222	35FN-MOD-M4-1	15-42355	15-03677	15-02672
8-32-2	422-375	14-00222	35FN-MOD-M4-2	15-42356	15-03677	15-02672
10-32-1	421-405	14-00223	35FN-MOD-M5-1	15-42357	15-03678	15-02673
10-32-2	422-405	14-00223	35FN-MOD-M5-2	15-42358	15-03678	15-02673

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	MAS 9 MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
FLUSH NUTS		Included with set				
M3-1	421-230M	14-00220	35FN-MOD-M3-1	15-42351	15-03679	15-02670
M3-2	422-230M	14-00220	35FN-MOD-M3-2	15-42352	15-03679	15-02670
M3.5-1	421-295M	14-00221	35FN-MOD-M3.5-1	15-42353	15-03680	15-02671
M3.5-2	422-295M	14-00221	35FN-MOD-M3.5-2	15-42354	15-03680	15-02671
M4-1	421-375M	14-00222	35FN-MOD-M4-1	15-42355	15-03681	15-02672
M4-2	422-375M	14-00222	35FN-MOD-M4-2	15-42356	15-03681	15-02672
M5-1	421-405M	14-00223	35FN-MOD-M5-1	15-42357	15-03682	15-02673
M5-2	422-405M	14-00223	35FN-MOD-M5-2	15-42358	15-03682	15-02673

PEM®: S™, SS™, CLS™, CLSS™

824™ OneTouch™ LITE -4e, -5e Shuttle Nut Tooling



Notes:

PEM® CLA™ Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
4-40-0,-1,-2	464-250	CLEAR	H-407-250-72	35N-MOD-4	15-03117	15-02225	H-442-166S
6-32-0,-1,-2	464-280	RED	H-407-280-72	35N-MOD-6	15-03118	15-02226	H-442-187S
8-32-0,-1,-2	464-310	BLUE	H-407-310-72	35N-MOD-8	15-03119	15-02227	H-442-213S
10-32-0,-1,-2	464-340	GREEN	H-407-340-72	35N-MOD-10	15-03120	15-02228	H-442-250S
10-24-0,-1,-2	464-341	GREEN	H-407-340-72	35N-MOD-10	15-03120	15-02235	H-442-250S
1/4-20-0,-1,-2	464-440	YELLOW	H-407-440-72	35N-MOD-04	15-03121	15-02229	H-442-344S
5/16-0,-1,-2	464-500	ORANGE	H-407-500-72	35N-MOD-05	15-03122	15-02272	H-442-413S

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
M2.5-0,-1,-2	464-251M	CLEAR	H-407-250-72	35N-MOD-M3	15-03117	15-02248	H-442-166S
M3-0,-1,-2	464-250M	CLEAR	H-407-250-72	35N-MOD-M3	15-03117	15-02230	H-442-166S
M3.5-0,-1,-2	464-280M	RED	H-407-280-72	35N-MOD-M3.5	15-03118	15-02231	H-442-187S
M4-0,-1,-2	464-310M	BLUE	H-407-310-72	35N-MOD-M4	15-03119	15-02232	H-442-213S
M5-0,-1,-2	464-340M	GREEN	H-407-340-72	35N-MOD-M5	15-03120	15-02233	H-442-250S
M6-0,-1,-2	464-440M	YELLOW	H-407-440-72	35N-MOD-M6	15-03121	15-02234	H-442-344S
M8-0,-1,-2	464-500M	ORANGE	H-407-500-72	35N-MOD-M8	15-03122	15-02238	H-442-413S

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set						
3/8-16, -1,-2	464-560	CLEAR	8001941	35N-ORNT-06	35N-SING-06	15-03123	15-03838	H-442-500S
M10-0,-1,-2	474-683M	CLEAR	H-407-750-96	15-03652	15-03653	15-03246	15-03254	H-442-550S


Notes:

A one time purchase of a Singulation Stand is required for 3/8-16 and M10 nut tooling

15-42362 Assembly, Singulation Stand, MAS 350

PEM®: S™, SS™, CLS™, CLSS™

824™ OneTouch™ LITE -4e, -5e
Shuttle Nut Tooling
(Shank Code 3)



Notes:

- 1. The below tooling are available as MADE TO ORDER
- 2. PEM® CLA™ Aluminum nuts require custom tooling.

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
4-40-3	488-250	CLEAR	H-407-250-72	35N-MOD-4-3	15-03542	15-02225	H-442-166S
6-32-3	488-280	RED	H-407-280-72	35N-MOD-6-3	15-03543	15-02226	H-442-187S
8-32-3	488-310	BLUE	H-407-310-72	35N-MOD-8-3	15-03544	15-02227	H-442-213S
10-32-3	488-340	GREEN	H-407-340-72	35N-MOD-10-3	15-03545	15-02228	H-442-250S
10-24-3	488-341	GREEN	H-407-340-72	35N-MOD-10-3	15-03545	15-02235	H-442-250S
1/4-20-3	488-440	YELLOW	H-407-440-72	35N-MOD-04-3	15-03546	15-02229	H-442-344S

PEM®: SP™

824™ OneTouch™ LITE -4e, -5e

Shuttle SP Nut Tooling



Notes:

The below tooling are available as MADE TO ORDER

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
4-40-0,-1,-2	420-250	CLEAR	H-407-250-72	35N-MOD-4	15-43015	15-03916	H-442-166S
6-32-0,-1,-2	420-280	RED	H-407-280-72	35N-MOD-6	15-43016	15-03918	H-442-187S
8-32-0,-1,-2	420-310	BLUE	H-407-310-72	35N-MOD-8	15-43017	15-03920	H-442-213S
10-32-0,-1,-2	420-340	GREEN	H-407-340-72	35N-MOD-10	15-43018	15-03921	H-442-250S
1/4-20-0,-1,-2	420-440	YELLOW	H-407-440-72	35N-MOD-04	15-43019	15-03953	H-442-344S

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
NUTS		Included with set					
M3-0,-1,-2	420-250M	CLEAR	H-407-250-72	35N-MOD-M3	15-43015	15-03917	H-442-166S
M4-0,-1,-2	420-310M	BLUE	H-407-310-72	35N-MOD-M4	15-43017	15-03919	H-442-213S
M5-0,-1,-2	420-340M	GREEN	H-407-340-72	35N-MOD-M5	15-43018	15-03922	H-442-250S
M6-0,-1,-2	420-440M	YELLOW	H-407-440-72	35N-MOD-M6	15-43019	15-03923	H-442-344S

PEM®: FH™, FHS™, FHA™

824™ OneTouch™ LITE -4e, -5e Shuttle Stud Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS		Included with set						
4-40 -4 to -16	465-218	RED	H-309-218-72	35T-MOD-M3	15-03124	15-02216	H-344-113	H-346-113
6-32 -5 to -20	465-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-03125	15-02216	H-344-139	H-346-139
8-32 -6 to -20	465-250	GREEN	H-309-250-72	35T-MOD-M4	15-03126	15-02216	H-344-166	H-346-166
10-32 -6 to -20 10-24-6 to -20	465-281	YELLOW	H-309-281-72	35T-MOD-M5	15-03127	15-02216	H-344-191	H-346-191
1/4-20 -8 to -20	465-344	CLEAR	H-309-375-72	35T-MOD-M6	15-03128	15-02216	H-344-250	N/A
5/16-18 -8 to -20	465-500	CLEAR	8002368	35T-MOD-M8	15-03220	15-02216	H-344-315	N/A

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS		Included with set						
M3 -6 to -25	465-218M	RED	H-309-218-72	35T-MOD-M3	15-03124	15-02216	H-344-121	H-346-121
M3.5 -6 to -30	465-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-03125	15-02216	H-344-139	H-346-139
M4 -10 to -30	465-250M	GREEN	H-309-250-72	35T-MOD-M4	15-03126	15-02216	H-344-160	H-346-160
M5 -10 to -30	465-281M	YELLOW	H-309-281-72	35T-MOD-M5	15-03127	15-02216	H-344-199	H-346-199
M6 -12 to -30	465-344M	CLEAR	H-309-375-72	35T-MOD-M6	15-03128	15-02216	H-344-236	N/A
M8 -12 to -30	465-500	CLEAR	8002368	35T-MOD-M8	15-03220	15-02216	H-344-315	N/A

FH4™ Studs

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM PUNCH	AUTO ANVIL
STUDS		Included with set					
4-40 -4 to -16	403-218	RED	H-309-218-72	35T-MOD-M3	15-03124	15-02216	H-345-113
6-32 -5 to 20	403-234	BLUE	H-309-234-72	35T-MOD-M3.5	15-03125	15-02216	H-345-139
8-32 -6 to 20	403-250	GREEN	H-309-250-72	35T-MOD-M4	15-03126	15-02216	H-345-166
10-32 -6 to 20	403-281	YELLOW	H-309-281-72	35T-MOD-M5	15-03127	15-02216	H-345-191
M3 -6 to -25	403-218M	RED	H-309-218-72	35T-MOD-M3	15-03126	15-02216	H-345-121
M4 -10 to -30	403-250M	GREEN	H-309-250-72	35T-MOD-M4	15-03127	15-02216	H-345-160
M5 -10 to -30	403-281M	YELLOW	H-309-281-72	35T-MOD-M5	15-03128	15-02216	H-345-199

Notes:

* OneTouch LITE machine 1/2" diameter anvils can install up to lengths -16 (inch) or -25 (metric) only

PEM®: HFH™, HFHS™, HFHB™

824™ OneTouch™ LITE -4e, -5e

Shuttle HFH™ Studs Tooling



Notes:

The below tooling are available as MADE TO ORDER

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STUDS			Included with set					
M5 -15 to -30	487-320M	CLEAR	H-309-375-72	35HF-MOD-M5	15-03342	15-03896	H-344-199	H-346-199
10-32 -8 to -20	487-320	CLEAR	H-309-375-72	35HF-MOD-M5	15-03342	15-03896	H-344-191	H-346-191

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
STUDS			Included with set				
M6 -15 to -30	487-400M	CLEAR	8002368	35HF-MOD-M6	15-03343	15-03897	H-344-236
1/4-20 -8 to -20	487-400	CLEAR	8002368	35HF-MOD-04	15-03343	15-03897	H-344-250

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	ORIENTATION MODULE	SINGULATION MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
STUDS			Included with set					
5/16-18 -12 to -20 M8 -20 to -30	487-500M	CLEAR	H-309-535	35HF-ORNT-M8	35HF-SING-M8	15-03344	15-03898	H-344-315

Notes:


A one time purchase of a Singulation Stand is required for HFH™ 5/16 & M8 tooling

15-42362 Assembly, Singulation Stand, MAS 350

* OneTouch LITE machine 1/2" diameter anvils can install up to lengths -16 (inch) or -25 (metric) only

PEM®: SO™, SOA™, SOS™

824™ OneTouch™ LITE -4e, -5e Shuttle Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STANDOFFS			Included with set					
4-40 -8 to -24	466-265	GREEN	H-309-250 -72	35S-MOD-M3	15-03130	15-02221	H-344-169	H-346-169
64-40 -10 to -34	467-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02221	H-344-216	H-346-216
6-32 -10 to -34	468-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02222	H-344-216	H-346-216
86-32 -12 to -34	468-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02222	H-344-284	H-346-284
8-32 -12 to -34	469-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02223	H-344-284	H-346-284
10-32 -12 to -34	475-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02224	H-344-284	H-346-284

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
STANDOFFS			Included with set					
M3 -6 to -25	476-265	GREEN	H-309-250 -72	35S-MOD-M3	15-03130	15-02217	H-344-169	H-346-169
3.5M3 -8 to -25	477-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02217	H-344-216	H-346-216
M4 -8 to -25	477-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02219	H-344-284	H-346-284
M5 -8 to -25	478-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02220	H-344-284	H-346-284


Notes:

* OneTouch LITE machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

PEM®: SO™, SOA™, SOS™

824™ OneTouch™ LITE -4e, -5e

Shuttle Short Standoff Tooling



Inch Sizes


FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional))
STANDOFFS			Included with set					
#4-4	454-265-4	CLEAR	14-00220	35SS-MOD-M3-3	15-03747	15-02221	H-344-169	H-346-169
#4-6	454-265-6	RED	H-407-280-72	35SS-MOD-4-6	15-03756	15-02221	H-344-169	H-346-169
#64-4	460-296-4	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03749	15-02221	H-344-216	H-346-216
#64-6	460-296-6	BLUE	H-407-310-72	35SS-MOD-6-6	15-03750	15-02221	H-344-216	H-346-216
#64-8	460-296-8	PURPLE	H-407-265-72	35SS-MOD-6-8	15-03757	15-02221	H-344-216	H-346-216
#6-4	454-296-4	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03749	15-02222	H-344-216	H-346-216
#6-6	454-296-6	BLUE	H-407-310-72	35SS-MOD-6-6	15-03750	15-02222	H-344-216	H-346-216
#6-8	454-296-8	PURPLE	H-407-265-72	35SS-MOD-6-8	15-03757	15-02222	H-344-216	H-346-216
#86-4	454-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02222	H-344-284	H-346-284
#86-6	454-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03753	15-02222	H-344-284	H-346-284
#86-8	454-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03759	15-02222	H-344-284	H-346-284
#8-4	455-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02223	H-344-284	H-346-284
#8-6	455-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03753	15-02223	H-344-284	H-346-284
#8-8	455-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03759	15-02223	H-344-284	H-346-284
#10-4	456-375-4	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02224	H-344-284	H-346-284
#10-6	456-375-6	PURPLE	H-407-265-72	35SS-MOD-8-6	15-03753	15-02224	H-344-284	H-346-284
#10-8	456-375-8	PURPLE	H-407-265-72	35SS-MOD-8-8	15-03759	15-02224	H-344-284	H-346-284

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL (Optional))
STANDOFFS			Included with set					
M3-3	457-265-3	CLEAR	14-00220	35SS-MOD-M3-3	15-03747	15-02217	H-344-169	H-346-169
M3-4	457-265-4	RED	H-407-280-72	35SS-MOD-M3-4	15-03748	15-02217	H-344-169	H-346-169
3.5M3-3	458-296-3	RED	H-407-280-72	35SS-MOD-M3.5-3	15-03749	15-02217	H-344-216	H-346-216
3.5M3-4	458-296-4	BLUE	H-407-310-72	35SS-MOD-M3.5-4	15-03751	15-02217	H-344-216	H-346-216
3.5M3-6	458-296-6	PURPLE	H-407-265-72	35SS-MOD-M3.5-6	15-03752	15-02217	H-344-216	H-346-216
M4-3	458-375-3	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02219	H-344-284	H-346-284
M4-4	458-375-4	GREEN	H-407-340-72	35SS-MOD-M4-4	15-03754	15-02219	H-344-284	H-346-284
M4-6	458-375-6	PURPLE	H-407-265-72	35SS-MOD-M4-6	15-03755	15-02219	H-344-284	H-346-284
M5-3	459-375-3	GREEN	H-407-340-72	35SS-MOD-M4-3	15-03758	15-02220	H-344-284	H-346-284
M5-4	459-375-4	GREEN	H-407-340-72	35SS-MOD-M4-4	15-03754	15-02220	H-344-284	H-346-284
M5-6	459-375-6	PURPLE	H-407-265-72	35SS-MOD-M4-6	15-03755	15-02220	H-344-284	H-346-284

PEM®: BSO™, BSOA™, BSOS™

824™ OneTouch™ LITE -4e, -5e Shuttle Blind Standoff Tooling



Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
BLIND STANDOFFS	Included with set							
4-40 -8 to -34	479-265	GREEN	H-309-250 -72	35S-MOD-M3	15-03130	15-02216	H-344-169	H-346-169
64-40 -10 to -34 6-32 -10 to -34	483-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02216	H-344-216	H-346-216
86-32 -12 to -34 8-32 -12 to -34 10-32 -12 to -34	484-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02216	H-344-284	H-346-284

Metric Sizes


FASTENER SIZE	SHUTTLE TOOLING SET	COLOR CODE	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL	1/2" DIA AUTO ANVIL* (Optional)
BLIND STANDOFFS	Included with set							
M3 -6 to -25	479-265	GREEN	H-309-250-72	35S-MOD-M3	15-03130	15-02216	H-344-169	H-346-169
3.5M3 -8 to -25	483-296	PURPLE	H-309-296-72	35S-MOD-M3.5	15-03131	15-02216	H-344-216	H-346-216
M4 -8 to -25 M5-8 to -25	484-375	ORANGE	H-309-410-72	35S-MOD-M4	15-03132	15-02216	H-344-284	H-346-284

Notes:

* OneTouch LITE machine 1/2" diameter anvils can install up to lengths -32 (inch) or -25 (metric) only

PEM®: F™

824™ OneTouch™ LITE -4e, -5e Shuttle Flush Nut Tooling



Notes:

The below tooling are available as MADE TO ORDER

Inch Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
FLUSH NUTS		Included with set				
440-1	485-230	14-00220	35FN-MOD-M3-1	15-42351	15-03675	H-442-230S
440-2	486-230	14-00220	35FN-MOD-M3-2	15-42352	15-03675	H-442-230S
6-32-1	485-295	14-00221	35FN-MOD-M3.5-1	15-42353	15-03676	H-442-295S
6-32-2	486-295	14-00221	35FN-MOD-M3.5-2	15-42354	15-03676	H-442-295S
8-32-1	485-375	14-00222	35FN-MOD-M4-1	15-42355	15-03677	H-442-375S
8-32-2	486-375	14-00222	35FN-MOD-M4-2	15-42356	15-03677	H-442-375S
10-32-1	485-405	14-00223	35FN-MOD-M5-1	15-42357	15-03678	H-442-405S
10-32-2	486-405	14-00223	35FN-MOD-M5-2	15-42358	15-03678	H-442-405S

Metric Sizes

FASTENER SIZE	SHUTTLE TOOLING SET	FLIGHT TUBE	MULTI-MODULE	MULTI-SHUTTLE	VACUUM TIP	AUTO ANVIL
FLUSH NUTS		Included with set				
M3-1	485-230M	14-00220	35FN-MOD-M3-1	15-42351	15-03679	H-442-230S
M3-2	486-230M	14-00220	35FN-MOD-M3-2	15-42352	15-03679	H-442-230S
M3.5-1	485-295M	14-00221	35FN-MOD-M3.5-1	15-42353	15-03680	H-442-295S
M3.5-2	486-295M	14-00221	35FN-MOD-M3.5-2	15-42354	15-03680	H-442-295S
M4-1	485-375M	14-00222	35FN-MOD-M4-1	15-42355	15-03681	H-442-375S
M4-2	486-375M	14-00222	35FN-MOD-M4-2	15-42356	15-03681	H-442-375S
M5-1	485-405M	14-00223	35FN-MOD-M5-1	15-42357	15-03682	H-442-405S
M5-2	486-405M	14-00223	35FN-MOD-M5-2	15-42358	15-03682	H-442-405S